





SWAT X1

SKU 1130

ELITE PACKAGE WITH SPEED RING™ SCOPE



25" NARROW CROSSBOW CASE
(NOT INCLUDED)

SKU 2082

405	6.25	24.75	195			
FPS	INCHES	INCHES	LB	INCLUDED	X CAM 50% LET-OFF	PACKAGE AVAILABLE
SPEED	AXLE TO AXLE	LENGTH	DRAW			

6.25" ATA



ACCUTAC™
BARREL



ACCUTAC™ BARREL

Enclosed 360-degree design provides greater guidance and support to the crossbow bolt, reducing the amount of crossbolt oscillation and improving high speed broadhead flight and accuracy.



X CAM™

Highly efficient synchronized design with 50% let-off for an easy to cock crossbow that's smoother and quieter on the shot.



FATAL X

RDC™
RAPID DRAW CRANK

SKU 2088

PRO PACKAGE WITH ILLUMINATED SCOPE



6.25" ATA



36" NARROW CROSSBOW CASE
(NOT INCLUDED)

SKU 2083



405
FPS
SPEED

6.25
INCHES
AXLE TO AXLE

29.75
INCHES
LENGTH

195
LB
DRAW

AVAILABLE

X CAM | 50% LET-OFF



SKU 2087



NEW 2023

DIESEL X

ELITE

SKU 2089-E

ELITE PACKAGE WITH SPEED RING™ 5x32 SCOPE



6.25" ATA



36" NARROW CROSSBOW CASE
(NOT INCLUDED)

SKU 2083



405
FPS
SPEED

6.25
INCHES
AXLE TO AXLE

32.75
INCHES
LENGTH

180
LB
DRAW

AVAILABLE

X CAM | 50% LET-OFF

NEW 2023

VITAL X

SKU 5030

PRO PACKAGE



6.75" ATA

36" NARROW CROSSBOW CASE
(NOT INCLUDED)

SKU 2083



405
FPS
SPEED

6.75
INCHES
AXLE TO AXLE

31.5
INCHES
LENGTH

185
LB
DRAW

AVAILABLE

X CAM | 50% LET-OFF

FUEL 415

RDC™
RAPID DRAW CRANK

SKU 2106

PRO PACKAGE WITH ILLUMINATED SCOPE



RDC™ INTEGRATED CRANK

A built-in crank offers an easier option to draw the crossbow. This system also allows you to draw the crossbow with a rope cocker.

SLAYER CROSSBOW CASE
(NOT INCLUDED)

SKU 1089



415
FPS
SPEED

14.75
INCHES
AXLE TO AXLE

32
INCHES
LENGTH

210
LB
DRAW

RDC™

BURNER 415

SKU 1106-G

PRO PACKAGE WITH ILLUMINATED SCOPE



SLAYER CROSSBOW CASE
(NOT INCLUDED)

SKU 1083



415
FPS
SPEED

14.75
INCHES
AXLE TO AXLE

31
INCHES
LENGTH

220
LB
DRAW

AVAILABLE

BOSS 405

SKU 1104

PRO PACKAGE WITH ILLUMINATED SCOPE



SLAYER CROSSBOW CASE
(NOT INCLUDED)

SKU 1083



405
FPS
SPEED

14.75
INCHES
AXLE TO AXLE

30
INCHES
LENGTH

220
LB
DRAW

AVAILABLE

OMEGA III
SIGHTS
PACKAGE AVAILABLE

FIERCE 405

SKU 1103



SLAYER CROSSBOW CASE
(NOT INCLUDED)

SKU 1083



405
FPS
SPEED

14.5
INCHES
AXLE TO AXLE

29.5
INCHES
LENGTH

200
LB
DRAW



LETHAL 405

SKU 1000



SLAYER CROSSBOW CASE
(NOT INCLUDED)

SKU 1083



405
FPS
SPEED

14.75
INCHES
AXLE TO AXLE

32
INCHES
LENGTH

210
LB
DRAW






MAX VIEW™ MU-36 CROSSBOW SCOPE

Model 1022


- | 2-7x36 POWER
- | LOCK RING
- | INSTANT CALIBRATION UP TO 460 FPS
- | 5 YARD INCREMENTS OUTSIDE 70 YARDS
- | LDC™ RETICLE 20-150 YARDS
- | WATERPROOF, FOGPROOF, SHOCKPROOF
- | PREMIUM FLIP-UP SCOPE CAPS



SPEED RING™ 1.5-5x32 IR-E CROSSBOW SCOPE

Model 1020


- | INSTANT CALIBRATION UP TO 450 FPS
- | HD VISION IN LOW LIGHT CONDITIONS
- | GLASS ETCHED KILLZONE XB 100 RETICLE 20-100 YARDS
- | WATERPROOF, FOGPROOF, SHOCKPROOF
- | PREMIUM FLIP-UP SCOPE CAPS



LUMIX™ 4x32 IR-E CROSSBOW SCOPE

Model 1021

- | HD VISION IN LOW LIGHT CONDITIONS
- | GLASS ETCHED RETICLE WITH MULTIPLE AIM POINTS
- | WATERPROOF, FOGPROOF, SHOCKPROOF
- | PREMIUM FLIP-UP SCOPE CAPS




KILLERTECH™

HIGH SPEED CROSSBOW BROADHEADS



- 3-PK | 100 GR | Model 3100
- 3-PK | 125 GR | Model 3125
- 3-PK | 150 GR | Model 3150

- | SPEED-LOK BLADE RETENTION SYSTEM
- | AIRCRAFT GRADE ALUMINUM FERRULE WITH STAINLESS STEEL TIP
- | HEAVY DUTY 420 STAINLESS STEEL BLADES
- | PERFECTLY BALANCED & SPIN TESTED FOR FIELD POINT ACCURACY



SPEED LOK™
BLADE RETENTION SYSTEM

| NO O-RINGS, CLIPS OR RUBBER BANDS





DEADSTOP™ DECOCKING BOLT

Model 1066

| NOT FOR USE IN SWAT SERIES CROSSBOWS



DEADSTOP™ DECOCKING TIP

Model 1066-1



HYPR™ LITE 20" CROSSBOW BOLTS

36-PK Bulk | Model 1065
6-PK | Model 1065-6

370 Total Grain Weight with 100 Grain Point



3-PK Lighted HYPR™ LITE | Model 2065-3



HYPR™ 20" CROSSBOW BOLTS

36-PK Bulk | Model 1064
6-PK | Model 1064-6

390 Total Grain Weight with 100 Grain Point



3-PK Lighted HYPR™ | Model 2064-3



HYPR™ KE 20" CROSSBOW BOLTS

6-PK | Model 1068-6

450 Total Grain Weight with 100 Grain Point



3-PK Lighted HYPR™ KE | Model 2068-3



ALL GEAR PROTECTION

SLAYER™ CROSSBOW CASE

Model 1083

- | WEATHER REPELLENT OUTER SHELL
- | SHOULDER SLING STRAP
- | INTERNAL QUIVER STORAGE
- | OVERSIZED EXTERNAL ACCESSORY POUCHES
- | FITS WIDER KILLER INSTINCT CROSSBOWS



36" NARROW CROSSBOW CASE

Model 2083

- | FITS FATAL X, DIESEL X & VITAL X CROSSBOWS
- | DESIGNED FOR NARROW AXLE TO AXLE CROSSBOWS
- | INCLUDES BACKPACK STRAPS
- | OVERSIZED EXTERNAL ACCESSORY POUCHES
- | WEATHER REPELLENT OUTER SHELL



25" NARROW CROSSBOW CASE

Model 2082

- | FITS SWAT X1 CROSSBOW
- | INCLUDES BACKPACK STRAPS
- | OVERSIZED INTERNAL ACCESSORY POUCHES
- | WEATHER REPELLENT OUTER SHELL





COMPACT DSC™ CRANK NARROW SLED

Model 2078-1

COMPATIBLE MODELS:

- DIESEL X
- VITAL X
- FATAL X
- RUSH 380
- BOSS 405
- BURNER 415
- RIPPER 425
- SPEED 425
- FURIOUS PRO 9.5

NOT COMPATIBLE WITH:

- RIPPER 415
- FURIOUS 370 Series
- FURIOUS Z355
- LETHAL 405
- FIERCE 405
- BC 370
- HERO 380
- SWAT Series
- KI 350
- KI 360
- KI 365
- CHRГ'D 330
- MODELS PRODUCED PRIOR TO 2018

SEE WWW.KILLERINSTINCTCROSSBOWS.COM FOR MODEL COMPATIBILITY



COMPACT DSC™ CRANK WIDE SLED

Model 2078-2

COMPATIBLE MODELS:

- LETHAL 405
- FIERCE 405
- BC 370
- BOSS 405
- BURNER 415
- RIPPER 425
- SPEED 425
- HERO 380

NOT COMPATIBLE WITH:

- DIESEL X
- VITAL X
- FATAL X
- RIPPER 415
- FURIOUS 370 Series
- FURIOUS Z355
- FURIOUS PRO 9.5
- SWAT Series
- KI 350
- KI 360
- KI 365
- CHRГ'D 330
- MODELS PRODUCED PRIOR TO 2018

SEE WWW.KILLERINSTINCTCROSSBOWS.COM FOR MODEL COMPATIBILITY



SINGLE-POINT CROSSBOW SLING

Model 1052-8C

- | ENHANCED AIMING & STEADINESS
- | PERFECT CROSSBOW BALANCE
- | IMPROVED FIELD MANEUVERABILITY
- | MACHINED ALUMINUM PICATINNY RAIL MOUNT



NARROW SLED ROPE COCKER

Model 1070-2

- | CHECK COMPATIBILITY ON KILLERINSTINCTCROSSBOWS.COM



QUIK-DRAW ROPE COCKER

Model 1073-1

- | INCREASED LEVERAGE FROM COMFORT MOLDED COCKING HANDLES

INTENSE

VERTICAL BOW CARBON ARROWS

- | FOR VERTICAL BOWS
- | 100% CARBON CONSTRUCTION
- | LASER SORTED FOR STRAIGHTNESS
- | PREMIUM VANES
- | NOT FOR USE WITH CROSSBOWS

INTENSE™ SELECT .001" Straightness

Available in 340, 400 & 500 Spine

- 6-PK | 340 Spine | 8.5 GPI | Model 4341-6
- 6-PK | 400 Spine | 7.25 GPI | Model 4401-6
- 6-PK | 500 Spine | 6.39 GPI | Model 4501-6



INTENSE™ MX .003" Straightness

Available in 340, 400 & 500 Spine

- 6-PK | 340 Spine | 8.5 GPI | Model 4343-6
- 6-PK | 400 Spine | 7.25 GPI | Model 4403-6
- 6-PK | 500 Spine | 6.39 GPI | Model 4503-6



INTENSE™ .005" Straightness

Available in 340, 400 & 500 Spine

- | | |
|--|--|
| 6-PK 340 Spine 8.5 GPI Model 4340-6 | Pre-Cut 3-PK 340 Spine 30" 8.5 GPI Model 4340-3 |
| 6-PK 400 Spine 7.25 GPI Model 4400-6 | Pre-Cut 3-PK 400 Spine 29" 7.25 GPI Model 4400-3 |
| 6-PK 500 Spine 6.39 GPI Model 4500-6 | Pre-Cut 3-PK 500 Spine 28" 6.39 GPI Model 4500-3 |





SPEED	AXLE TO AXLE	LENGTH	WEIGHT	DRAW WEIGHT	POWER STROKE	KINETIC ENERGY	CRANK	OPTIC	BOLTS
405 FPS	6.25" - 9.75"	24.75"	7.2 LB	195 LB	13.25"	142 FT-LB	INCLUDED	LUMIX™ SPEED RING 1.5 - 5x32	HYPRT™ 20"



405 FPS	6.25" - 9.75"	29.75" - 31.75"	7.4 LB	195 LB	13.5"	142 FT-LB	RDC™ CRANK	LUMIX™ 4x32	HYPRT™ 20"
---------	---------------	-----------------	--------	--------	-------	-----------	------------	-------------	------------



405 FPS	6.25" - 9.75"	29.75" - 31.75"	6.9 LB	195 LB	13.5"	142 FT-LB	2078-1	LUMIX™ 4x32	HYPRT™ 20"
---------	---------------	-----------------	--------	--------	-------	-----------	--------	-------------	------------



405 FPS	6.25" - 10.375"	32.75" - 34.75"	7.4 LB	180 LB	15"	142 FT-LB	2078-1	LUMIX™ SPEED RING 1.5 - 5x32	HYPRT™ 20"
---------	-----------------	-----------------	--------	--------	-----	-----------	--------	------------------------------	------------



405 FPS	6.75" - 10.375"	31.5"	6.4 LB	185 LB	14.25"	142 FT-LB	2078-1	LUMIX™ 4x32	HYPRT™ 20"
---------	-----------------	-------	--------	--------	--------	-----------	--------	-------------	------------



415 FPS	14.75" - 18.75"	32" - 34"	7.35 LB	210 LB	14.5"	141 FT-LB	RDC™ CRANK	LUMIX™ 4x32	HYPRT™ Lite 20"
---------	-----------------	-----------	---------	--------	-------	-----------	------------	-------------	-----------------



415 FPS	14.75" - 18.75"	31" - 34"	6.85 LB	220 LB	14.5"	141 FT-LB	2078-2	LUMIX™ 4x32	HYPRT™ Lite 20"
---------	-----------------	-----------	---------	--------	-------	-----------	--------	-------------	-----------------



405 FPS	14.75" - 18.75"	30" - 33"	6.7 LB	220 LB	13.25"	134 FT-LB	2078-2	LUMIX™ 4x32	HYPRT™ Lite 20"
---------	-----------------	-----------	--------	--------	--------	-----------	--------	-------------	-----------------



405 FPS	14.5" - 17.75"	29.5" - 30.5"	6.2 LB	200 LB	13"	135 FT-LB	2078-2	LUMIX™ 4x32	HYPRT™ Lite 20"
---------	----------------	---------------	--------	--------	-----	-----------	--------	-------------	-----------------



405 FPS	14.75" - 18.75"	32"	7.2 LB	210 LB	14.5"	134 FT-LB	2078-2	LUMIX™ 4x32	HYPRT™ Lite 20"
---------	-----------------	-----	--------	--------	-------	-----------	--------	-------------	-----------------



CUSTOMER SERVICE:

(810) 626 - 3026

FOR COMPLETE LIST OF PATENTS VISIT:

KILLERINSTINCTCROSSBOWS.COM