




KILLER INSTINCT CROSSBOW

# CONTENTS





**TECHNOLOGY**

**CROSSBOWS**

**OPTICS**

**BROADHEADS**

**BOLTS**

**ACCESSORIES**

**CASES**

**SPECIFICATIONS**



ADVANCED CROSSBOW TECHNOLOGY




**EASIER**  
TO COCK

**SMOOTHER**  
TO DRAW

**QUIETER**  
TO SHOOT

**X-CAM™**

Highly efficient synchronized design with 50% let-off for an easy to cock crossbow that's smoother and quieter on the shot.



**SUPER NARROW  
COCKED**



**KILLER  
FEATURES**



# LET-DOWN™ TRIGGER BOX

**DE-COCK YOUR BOW  
WITHOUT SHOOTING**

## LET-DOWN™ TRIGGER BOX

The LogiX™ 435 features the patent pending Let-Down™ triggerbox that allows the user to easily de-cock the crossbow without shooting.



## RDC™ INLINE WITH SLED

Quickly, easily and quietly cock your crossbow.



# HYPER-V™

HYPER-V™ 20" PERCUTANEOUS  
KILLER INSTINCT

**CARBON  
CROSSBOLTS**



**V-TRAK™  
NOCK**

**V-TRAK™  
NOCK**

Improved accuracy with X-Cam™ Crossbows

**KILLER**  
**FEATURES**



**NEW FOR  
2025**



< ADJUSTABLE >

KILLER INSTINCT

KILLER INSTINCT

WARNING

KILLER

# LOGIX



**RDC**  
RAPID DRAW CRANK

INTEGRATED

**AXLE TO AXLE**

**6.75"** COCKED

**10.75** UNCOCKED



**XCAM**  
ADVANCED CROSSBOW TECHNOLOGY

**SPEED** up to  
**435 FPS**

# **LET-DOWN™** TRIGGER BOX

**DE-COCK YOUR BOW  
WITHOUT SHOOTING**



SKU 611106

**DRAW WEIGHT**

**210 LB**

**WEIGHT**

**8.4 LB**

**LENGTH**

**35 in**

## **TACT-FINISH** CAMOUFLAGE

**TACT-FINISH CAMOUFLAGE**  
High definition and superior durability than traditional film dip.

## **LUMIX™**

**4X32 ILLUMINATED SCOPE**  
Premium illuminated optics



NEW FOR  
2025

# LOGIX



**LET-DOWN™**  
TRIGGER BOX

**/ AXLE TO AXLE**  
**6.75" - 10.75"**  
cocked                  uncocked

**SPEED** up to  
**435 FPS**

**35"**

**WEIGHT**  
**7.9 LBS**

**DRAW WEIGHT**  
**210 LBS**

**X-CAM**  
ADVANCED CROSSBOW TECHNOLOGY



**EASIER  
TO COCK**  
**SMOOTHER  
TO DRAW**  
**QUIETER  
TO SHOOT**



**INCLUDED**  
SLED ROPE COCKER  
QUICK DETACH QUIVER  
(3) HYPR-V CARBON BOLTS  
LUMIX™ 4x32 ILLUMINATED SCOPE



# VITALX 430 ELITE



**/ AXLE TO AXLE**  
**6.75" - 10.75"**  
cocked                      uncocked

**SPEED** up to  
**430 FPS**

35"

**WEIGHT**  
**7.8 LBS**

**DRAW WEIGHT**  
**195 LBS**

**X-CAM**  
ADVANCED CROSSBOW TECHNOLOGY



**EASIER  
TO COCK**

**SMOOTHER  
TO DRAW**

**QUIETER  
TO SHOOT**



#### INCLUDED

- SLED ROPE COCKER
- QUICK DETACH QUIVER
- (4) HYPR-V CARBON BOLTS
- LUMIX™ 1.5-5X32 SPEED RING™ SCOPE

NEW FOR  
2025

# FANATIX



< ADJUSTABLE >

KILLER INSTINCT

KILLER INSTINCT

SKU 611005



35"



**/ AXLE TO AXLE**  
**6.75" - 10.75"**  
cocked                      uncocked

**X-CAM**  
ADVANCED CROSSBOW TECHNOLOGY



**EASIER  
TO COCK**  
**SMOOTHER  
TO DRAW**  
**QUIETER  
TO SHOOT**

**SPEED** up to  
**415 FPS**

**WEIGHT**  
**8.0 LBS**

**DRAW WEIGHT**  
**195 LBS**

**SLAYER**  
CROSSBOW CASE

SLAYER CROSSBOW CASE  
(NOT INCLUDED)

SKU 2083



KILLER INSTINCT



**INCLUDED**  
**SLED ROPE COCKER**  
**QUICK DETACH QUIVER**  
**(2) HYPR-V CARBON BOLTS**  
**LUMIX™ 4x32 ILLUMINATED SCOPE**



NEW FOR  
2025

# TEMPRX™



**AXLE TO AXLE**

**6.75"** COCKED

**10.375"** UNCOCKED

**DRAW WEIGHT**

**195 LB**

**WEIGHT**

**7.6 LB**

**SPEED** up to

**405 FPS**

**33.75"**



SKU 601002

**EASIER  
TO COCK**

**SMOOTHER  
TO DRAW**

**QUIETER  
TO SHOOT**



**SLAYER**  
CROSSBOW CASE

SLAYER CROSSBOW CASE  
(NOT INCLUDED)

SKU 2039

**KILLER INSTINCT**

**INCLUDED**

SLED ROPE COCKER

QUICK DETACH QUIVER

(2) HYPR-V CARBON BOLTS

LUMIX™ 4X32 SCOPE

**KILLER INSTINCT**

# VITAL X



**/ CRANK INCLUDED**

**/ AXLE TO AXLE**  
**6.75"** COCKED  
**10.375"** UNCOCKED

**SPEED** up to  
**405 FPS**

**34.5"**

**WEIGHT**  
**7.8 LBS**

**DRAW WEIGHT**  
**185 LBS**

SKU 5030C

**X-CAM**  
ADVANCED CROSSBOW TECHNOLOGY

**EASIER TO COCK**  
**SMOOTHER TO DRAW**  
**QUIETER TO SHOOT**

**SLAYER**  
CROSSBOW CASE

SLAYER CROSSBOW CASE  
(NOT INCLUDED)

SKU 2083



**INCLUDED**  
SLED ROPE COCKER  
QUICK DETACH QUIVER  
(2) HYPR-V CARBON BOLTS  
LUMIX™ 4X32 SCOPE



NEW FOR  
2025

# LETHAL 405 HD



SPEED up to  
**405** FPS

WEIGHT  
**7.5** LBS

**33.5"**

DRAW WEIGHT  
**210** LBS

SKU 60000



### PRO-GRIP

**SOFT TOUCH POINTS**  
Get comfort and grip. Soft touch points featured on the buttstock (top and bottom), and forearm grip.



### SLAYER CROSSBOW CASE

SLAYER CROSSBOW CASE  
(NOT INCLUDED)

SKU 1083

- INCLUDED**
- SLED ROPE COCKER
  - QUICK DETACH QUIVER
  - (2) HYPR-V CARBON BOLTS
  - LUMIX™ 4X32 SCOPE




CROSSBOW  
**OPTICS**



# LUMIX™

## CROSSBOW SCOPE



  
**RED | BLUE**  
ADJUSTABLE BRIGHTNESS  
ILLUMINATED RETICLE



  
**RED | BLUE**  
ADJUSTABLE BRIGHTNESS  
ILLUMINATED RETICLE

## LUMIX™ XLR 4 X 32 CROSSBOW SCOPE

Model 1023

**EXCEPTIONAL CLARITY**  
MULTI-COATED 4X32 OPTICS

**RED/BLUE ILLUMINATION**  
PREMIUM WIRE RHODSTAT  
ILLUMINATION BETWEEN RED & BLUE

**MULTI RETICLE**  
EXTEND YOUR RANGE WITH SEVEN  
DIFFERENT RETICLE AIM POINTS

**NITROGEN PURGED**  
WATER, SHOCK AND FOG PROOF  
PERFORMANCE

**COMPACT DESIGN**  
LIGHTWEIGHT, 1" MONO TUBE  
CONSTRUCTION

**FLIP-UP SCOPE CAPS**



## LUMIX™ SPEED RING™ 1.5-5 X 32 CROSSBOW SCOPE

Model 1020

**INSTANT CALIBRATION UP TO 450 FPS**

**HD VISION IN LOW LIGHT CONDITIONS**

**GLASS ETCHED KILLZONE XB 100  
RETICLE 20-100 YARDS**

**WATERPROOF, FOGPROOF, SHOCKPROOF**

**PREMIUM FLIP-UP SCOPE CAPS**



CROSSBOW

**BROADHEADS**



# KILLERTECH™

## HIGH SPEED CROSSBOW BROADHEADS

- 3-PK | 100 GR | Model 3100
- 3-PK | 125 GR | Model 3125
- 3-PK | 150 GR | Model 3150

- | SPEED-LOK BLADE RETENTION SYSTEM
- | AIRCRAFT GRADE ALUMINUM FERRULE WITH STAINLESS STEEL TIP
- | HEAVY DUTY 420 STAINLESS STEEL BLADES
- | PERFECTLY BALANCED & SPIN TESTED FOR FIELD POINT ACCURACY

### SPEED LOK™ BLADE RETENTION SYSTEM

- | NO O-RINGS, CLIPS OR RUBBER BANDS

100 gr / 125 gr



1.5" CUT DIAMETER

150 gr



1.75" CUT DIAMETER

| 0.060" BLADE THICKNESS





CROSSBOW  
**BOLTS**



NEW FOR  
2025

# HYPR-V™

## CARBON CROSSBOLTS

### HYPR-V™ 20" CROSSBOW BOLTS

6-PK | Model 3064-6



3-PK Lighted HYPR-V™ | Model 4064-3



V-TRAK™  
NOCK



ULTIMATE  
ACCURACY

SPECIFICATIONS	
<b>20"</b>	SHAFT LENGTH
<b>.003"</b>	STRAIGHTNESS TOLERANCE
<b>390<sup>GR.</sup></b>	TOTAL WEIGHT WITH 100 GR. FIELD TIP*
<b>100%</b>	CARBON

# KILLER TECH™

### KILLERTECH™ 20" CROSSBOW BOLTS

6-PK | Model 1055-6



3-PK | Model 2055-3



SPECIFICATIONS	
<b>20"</b>	SHAFT LENGTH
<b>.005"</b>	STRAIGHTNESS TOLERANCE
<b>430<sup>GR.</sup></b>	TOTAL WEIGHT WITH 100 GR. FIELD TIP*
<b>CARBON</b>	COMPOSITE

The heavy weight of the KILLERTECH™ Crossbow bolt delivers maximum penetration to crush big game with hard hitting kinetic energy and devastating knock-down power. Advanced Carbon Construction creates spine consistency for greater accuracy, exceptional reliability and repeat performance. Precision sorted for straightness for maximum consistency. Designed, tested and proven to deliver advanced crossbow accuracy.





CROSSBOW

**ACCESSORIES**



## DEADSTOP™ DECOCKING BOLT

Model 1066

## DEADSTOP™ DECOCKING TIP

Model 1066-1



| NOT FOR USE IN SWAT SERIES CROSSBOWS



## RAIL LUBE

Model 1041

| PROLONGS STRING LIFE



NEW FOR  
2025

## SINGLE-POINT CROSSBOW SLING

Model 1051

- | ENHANCED AIMING & STEADINESS
- | PERFECT CROSSBOW BALANCE
- | IMPROVED FIELD MANEUVERABILITY
- | MACHINED ALUMINUM QD PICATINNY RAIL MOUNT



## QUIK-DRAW ROPE COCKER

Model 1073-1

| INCREASED LEVERAGE FROM COMFORT MOLDED COCKING HANDLES



## NARROW SLED ROPE COCKER

Model 1070-2

| CHECK COMPATIBILITY ON [KILLERINSTINCTCROSSBOWS.COM](http://KILLERINSTINCTCROSSBOWS.COM)







## COMPACT DSC™ CRANK WIDE SLED

Model 2078-2

**COMPATIBLE MODELS:**

KILLER INSTINCT CROSSBOWS ONLY  
WIDE COMPOSITE BARREL MODELS  
PRIOR 2025  
LETHAL SERIES  
FIERY SERIES  
BONE COLLECTOR 405  
FIERCE 405 AND HERO

**NOT COMPATIBLE WITH:**

SWAT SERIES  
X-CAM MODELS  
NARROW ALUMINUM BARREL KI  
MODELS  
RIPPER 415  
KI SERIES  
MODELS PRODUCED PRIOR TO 2018

DSC CRANK HANDLE  
3-HOLE DESIGN



Model SPK-HANDLE-1



NEW FOR  
2025

## COMPACT DSC™ CRANK NARROW SLED LD

Model 2078-4

**COMPATIBLE MODELS:**

KILLER INSTINCT CROSSBOWS ONLY  
MODELS WITH LET-DOWN TRIGGER BOX  
ALL X-CAM MODELS  
BOSS & BURNER MODELS  
ALUMINUM BARREL MODELS FROM  
2019 OR NEWER

**NOT COMPATIBLE WITH:**

WIDE COMPOSITE BARREL MODELS  
PRIOR 2025  
LETHAL SERIES  
FIERY SERIES  
BONE COLLECTOR 405  
FIERCE 405 AND HERO  
SWAT SERIES  
RIPPER 415  
KI SERIES  
MODELS PRODUCED PRIOR TO 2018

DSC CRANK HANDLE  
3-HOLE DESIGN



Model SPK-HANDLE-1





KILLER INSTINCT



CROSSBOW  
**CASES**



## SLAYER™ MID CROSSBOW CASE

Model 2084

| WEATHER REPELLENT OUTER SHELL



## SLAYER™ CROSSBOW CASE

Model 1083

- | WEATHER REPELLENT OUTER SHELL
- | SHOULDER SLING STRAP
- | INTERNAL QUIVER STORAGE
- | OVERSIZED EXTERNAL ACCESSORY POUCHES
- | FITS WIDER KILLER INSTINCT CROSSBOWS



## SLAYER™ NARROW CROSSBOW CASE

Model 2083

- | FITS ALL X-CAM CROSSBOWS
- | DESIGNED FOR NARROW AXLE TO AXLE CROSSBOWS
- | INCLUDES BACKPACK STRAPS
- | OVERSIZED EXTERNAL ACCESSORY POUCHES
- | WEATHER REPELLENT OUTER SHELL



KILLER INSTINCT

**LOGIX RDC™**  
RAPID DRAW CRANK

SKU 611106

**LOGIX**

SKU 611006

**VITALX 430**

SKU 5040E

**FANATIX**

SKU 611005

**TEMPRX**

SKU 601002

**VITALX 405**  
W/CRANK

SKU 5030C

**LETHAL 405**  
HD

SKU 600000

**SPEED**

UP TO  
435 FPS

**AXLE TO AXLE**

6.75" - 10.75"

**LENGTH**

35"

**WEIGHT**

8.4 LB

**DRAW WEIGHT**

210 LB

UP TO  
435 FPS

6.75" - 10.75"

35"

7.9 LB

210 LB

UP TO  
430 FPS

6.75" - 10.75"

35"

7.8 LB

195 LB

UP TO  
415 FPS

6.75" - 10.75"

35"

8.0 LB

195 LB

UP TO  
405 FPS

6.75" - 10.375"

33.75"

7.6 LB

195 LB

UP TO  
405 FPS

6.75" - 10.375"

34.5"

7.8 LB

185 LB


UP TO  
405 FPS

14.75" - 18.75"

33.5"

7.5 LB


210 LB






**POWER STROKE****KINETIC ENERGY****CRANK****OPTIC****BOLTS**

15"	155.50 FT-LB	2078-4	1021 LUMIX™ 4X32 GLASS ETCHED ILLUMINATED	HYPR-V™ 20" *HYPR™ 20"
15"	155.50 FT-LB	2078-4	1021 LUMIX™ 4X32 GLASS ETCHED ILLUMINATED	HYPR-V™ 20" *HYPR™ 20"
15"	152 FT-LB	2078-4	1020 LUMIX™ SPEED RING 1.5 - 5x32	HYPR-V™ 20" *HYPR™ 20"
15"	141.53 FT-LB	2078-4	LUMIX™ 4x32	HYPR-V™ 20" *HYPR™ 20"
13.5"	134.78 FT-LB	2078-4	LUMIX™ 4x32	HYPR-V™ 20" *HYPR™ 20"
14.25"	134.78 FT-LB	2078-4	LUMIX™ 4x32	HYPR-V™ 20" *HYPR™ 20"
13.5"	134.78 FT-LB	2078-4	LUMIX™ 4x32	HYPR-V™ 20" *HYPR™ 20"



# CROSSBOW SPECIFICATIONS



\*DEPENDENT ON AVAILABILITY



CUSTOMER SERVICE:  
(810) 626 - 3026

FOR COMPLETE LIST OF PATENTS VISIT:  
[KILLERINSTINCTCROSSBOWS.COM](http://KILLERINSTINCTCROSSBOWS.COM)