

2026
PRODUCT CATALOG





CROSSBOW TECHNOLOGY



***EFFORTLESSLY DECOCK
YOUR CROSSBOW BY HAND***

"NO CRANK REQUIRED"

DE-COCKING TRIGGER BOX

Patent-pending design allows the user to decock the crossbow by hand—without firing—quickly, quietly, and safely using a rope sled or DSC cranking device. Available on most models.



2.



X-CAM™

Patented design allows the user to decock the crossbow by hand—without firing—quickly, quietly, and safely using a rope sled or DSC cranking device. Available on most models.

REVERSE LIMB



REVERSE LIMB

A reverse limb configuration maximizes power stroke and performance while shifting weight and balance inward, resulting in a compact, high-performance design.

HYPER-V



V-TRACK NOCK

Improved accuracy with X-Cam™ Crossbows

CROSSBOW PACKAGES

LOGIX RDC™



SPEED up to

35"

435 FPS

AXLE TO AXLE

6.75" cocked

DRAW WEIGHT

210 LBS

WEIGHT

8.2 LBS



INCLUDED ACCESSORIES:

3-HYPR-V BOLTS
SLED ROPE COCKER
ILLUMINATED LUMIX™ I-RE 4X32 SCOPE
RAIL LUBE

KEY FEATURES:

- DE-COCKING Trigger Box
- Synchronized X-Cam system with smooth 56% let-off
- RDC model adds integrated silent crank system



CROSSBOW PACKAGES

LOGIX DC™



AXLE TO AXLE
6.75" cocked

DRAW WEIGHT
210 LBS

WEIGHT
7.9 LBS



**DE-COCKING
TRIGGER BOX**

INCLUDED ACCESSORIES:

3-HYPR-V BOLTS
SLED ROPE COCKER
ILLUMINATED LUMIX™ I-RE 4X32 SCOPE
RAIL LUBE

KEY FEATURES:

- DE-COCKING Trigger Box
- Synchronized X-Cam system with smooth 56% let-off



INCLUDED ACCESSORIES






NEW FOR 2026

NEO-X DC™

DC
DECOCKING
TRIGGERBOX



SPEED up to
415 FPS

AXLE TO AXLE
6.75" cocked

DRAW WEIGHT
195 LBS

WEIGHT
8.2 LBS



**DE-COCKING
TRIGGER BOX**

INCLUDED ACCESSORIES:

2-HYPR-V BOLTS
SLED ROPE COCKER
ILLUMINATED LUMIX™ XLR SCOPE 4X 32
RAIL LUBE

KEY FEATURES:

- Reverse limb technology
- DE-COCKING Trigger Box
- Synchronized X-Cam system with smooth 56% let-off





NEW FOR 2026

VITALX DC™



AXLE TO AXLE

6.75" cocked

DRAW WEIGHT

195 LBS

WEIGHT

8.0 LBS



**DE-COCKING
TRIGGER BOX**

INCLUDED ACCESSORIES:

- 2-HYPR-V BOLTS
- SLED ROPE COCKER
- ILLUMINATED LUMIX™ XLR SCOPE 4X32
- RAIL LUBE

KEY FEATURES:

- DE-COCKING Trigger box
- Synchronized X-Cam system with smooth 56% let-off
- Adjustable Buttstock



INCLUDED ACCESSORIES





NEW FOR 2026

BOSS X DC



SPEED up to
405 FPS

AXLE TO AXLE
6.75" cocked

DRAW WEIGHT
195 LBS

WEIGHT
7.6 LBS

33.75"

SKU 1240



**DE-COCKING
TRIGGER BOX**

INCLUDED ACCESSORIES:

- 2-HYPR-V BOLTS
- SLED ROPE COCKER
- LUMIX™ 4X32 SCOPE
- RAIL LUBE

KEY FEATURES:

- DE-COCKING Trigger box
- Synchronized X-Cam system with smooth 56% let-off
- Rubber Touch Points



INCLUDED ACCESSORIES



CROSSBOW PACKAGES

FANATIX



SPEED up to

415 FPS

AXLE TO AXLE

6.75" cocked

DRAW WEIGHT

195 LBS

WEIGHT

8.0 LBS



INCLUDED ACCESSORIES:

- 2-HYPR-V BOLTS
- SLED ROPE COCKER
- ILLUMINATED LUMIX™ I-RE 4X32 SCOPE
- RAIL LUBE

KEY FEATURES:

- Synchronized X-Cam system with smooth 56% let-off
- Adjustable Buttstock
- Aluminium Barrel



CROSSBOW PACKAGES

TEMPRX



SPEED up to

405 FPS

AXLE TO AXLE

6.75" cocked

DRAW WEIGHT

195 LBS

WEIGHT

7.6 LBS

INCLUDED ACCESSORIES:

2-HYPR-V BOLTS
SLED ROPE COCKER
LUMIX™ 4x32 SCOPE
RAIL LUBE

KEY FEATURES:

- Synchronized X-Cam system with smooth 56% let-off
- Rubber Soft Touch Points
- LUMIX™ Scope



INCLUDED ACCESSORIES



CROSSBOW **PACKAGES**

LETHAL 405
HD



SPEED up to
405 FPS

AXLE TO AXLE
14.75" cocked

DRAW WEIGHT
210 LBS

WEIGHT
8.0 LBS

INCLUDED ACCESSORIES:

2-HYPR-V BOLTS
SLED ROPE COCKER
LUMIX™ 4x32 SCOPE
RAIL LUBE

KEY FEATURES:

- Rubber Soft Touch Points
- LUMIX™ Scope



INCLUDED ACCESSORIES





CROSSBOW **OPTICS**

LUMIX™ CROSSBOW SCOPE



LUMIX™ MV-36 CROSSBOW SCOPE

Model MV-36

- **INSTANT CALIBRATION**
20-150 YARD CALIBRATION UP TO 46 FPS
- **RED/BLUE ILLUMINATION**
PREMIUM WIRE RHEOSTAT
ILLUMINATION BETWEEN RED & BLUE

- **NITROGEN PURGED**
WATER, SHOCK AND FOG PROOF
PERFORMANCE
- **COMPACT DESIGN**
LIGHTWEIGHT, 1" MONO TUBE
CONSTRUCTION



LUMIX™ SPEEDRING™ 1.5-5 X 32 CROSSBOW SCOPE

Model 1020

- **INSTANT CALIBRATION UP TO 450 FPS**
- **HD VISION IN LOW LIGHT CONDITIONS**
- **GLASS ETCHED KILLZONE XB 100**
RETICLE 20-100 YARDS
- **WATERPROOF, FOGPROOF, SHOCKPROOF**



LUMIX™ XLR 4 X 32 CROSSBOW SCOPE

Model 1023

- **EXCEPTIONAL CLARITY**
MULTI-COATED 4 X 32 OPTICS
- **RED/BLUE ILLUMINATION**
PREMIUM WIRE RHEOSTAT
ILLUMINATION BETWEEN RED & BLUE
- **MULTI RETICLE**
EXTEND YOUR RANGE WITH SEVEN
DIFFERENT RETICLE AIM POINTS

- **NITROGEN PURGED**
WATER, SHOCK AND FOG PROOF
PERFORMANCE
- **COMPACT DESIGN**
LIGHTWEIGHT, 1" MONO TUBE
CONSTRUCTION



RED | BLUE

ADJUSTABLE BRIGHTNESS
ILLUMINATED RETICLE



CROSSBOW BOLTS

HYPR-V CARBON CROSSBOLTS

HYPR-V™ 20" CROSSBOW BOLTS

6-PK | Model 3064-6



3-PK Lighted HYPR-V™ | Model 4064-3



The KI Hypr-V™ crossbow bolts feature the V-Track™ nock designed for ultimate accuracy out of narrow axle to axle crossbows. The new V-Track™ improves nock to string contact, reduces center serving wear and works on all KI Crossbow models that use normal half-moon nocks.



V-TRACK™
NOCK



ULTIMATE
ACCURACY

SPECIFICATIONS

20"
SHAFT LENGTH

.003"
STRAIGHTNESS
TOLERANCE

390 GR.
TOTAL WEIGHT
WITH 100 GR. FIELD TIP*

100%
CARBON



HYPR™ LITE 20" CROSSBOW BOLTS

36-PK Bulk | Model 1065
6-PK | Model 1065-6



3-PK Lighted HYPR™ | Model 4064-3



SPECIFICATIONS	
20"	SHAFT LENGTH
.003"	STRAIGHTNESS TOLERANCE
370 GR.	TOTAL WEIGHT WITH 100 GR. FIELD TIP*
100%	CARBON



The heavy weight of the KILLERTECH™ Crossbow bolt delivers maximum penetration to crush big game with hard hitting kinetic energy and devastating knock-down power. Advanced Carbon Construction creates spine consistency for greater accuracy, exceptional reliability and repeat performance. Precision sorted for straightness for maximum consistency. Designed, tested and proven to deliver advanced crossbow accuracy.

KILLERTECH™ 20" CROSSBOW BOLTS

6-PK | Model 1055-6



3-PK | Model 2055-3



SPECIFICATIONS	
20"	SHAFT LENGTH
.005"	STRAIGHTNESS TOLERANCE
430 GR.	TOTAL WEIGHT WITH 100 GR. FIELD TIP*
CARBON	COMPOSITE



CROSSBOW
ACCESSORIES

SINGLE-POINT CROSSBOW SLING



Model 1053-BC

- | QUICK RELEASE ON/OFF BUCKLE
- | PERFECT CROSSBOW BALANCE
- | IMPROVED FIELD MANEUVERABILITY
- | MACHINED ALUMINUM QD PICATINNY RAIL MOUNT



SINGLE-POINT CROSSBOW SLING WITH QUICK RELEASE PICATINNY MOUNT

Model 1051

- | ENHANCED AIMING & STEADINESS
- | PERFECT CROSSBOW BALANCE
- | IMPROVED FIELD MANEUVERABILITY
- | MACHINED ALUMINUM QD PICATINNY RAIL MOUNT



Model 1041

- | PROLONGS STRING LIFE
APPLY EVERY 3-4 SHOTS





QUIK-DRAW ROPE COCKER

Model 1073-1 *Not for use on X-Cam Models*

| INCREASED LEVERAGE FROM COMFORT MOLDED COCKING HANDLES



DC SLED ROPE COCKER

Model 1078-1 *For use with Decocking and Narrow Barrel Models*

| CHECK COMPATIBILITY ON KICROSSBOWS.COM



NARROW SLED ROPE COCKER

Model 1074-1 *Not for use on Decocking Models. Narrow Barrel models only*

| CHECK COMPATIBILITY ON KICROSSBOWS.COM

WIDE SLED
1.5"



COMPACT DSC™ CRANK WIDE SLED

NOT COMPATIBLE WITH
X-CAM OR DC TRIGGERBOX

Model 2078-2

ONLY FITS
BARRELS
1.5" WIDE

COMPATIBLE MODELS:
KILLER INSTINCT CROSSBOWS ONLY
WIDE COMPOSITE BARREL MODELS
PRIOR 2025
LETHAL SERIES
FIERY SERIES
BONE COLLECTOR 405
FIERCE 405 AND HERO

NOT COMPATIBLE WITH:
SWAT SERIES
X-CAM MODELS
NARROW ALUMINUM BARREL KI
MODELS
RIPPER 415
KI SERIES
MODELS PRODUCED PRIOR TO 2018



Model SPK-HANDLE-1

NARROW SLED
1.25"



COMPACT DSC™ CRANK NARROW SLED

NOT COMPATIBLE WITH DC
TRIGGERBOX

Model 2078-4

ONLY FITS
BARRELS
1.25" WIDE

COMPATIBLE MODELS:
KILLER INSTINCT CROSSBOWS ONLY
MODELS WITH LET-DOWN TRIGGER BOX
ALL X-CAM MODELS
BOSS & BURNER MODELS
ALUMINUM BARREL MODELS FROM
2019 OR NEWER

NOT COMPATIBLE WITH:
COMP WIDE BARREL PRIOR TO 2025

2026 DC MODELS

NARROW SLED
1.25"



COMPACT DSC™ CRANK DC SLED

COMPATIBLE WITH DC AND
STANDARD TRIGGERBOX

Model 2078-5

ONLY FITS
BARRELS
1.25" WIDE

COMPATIBLE MODELS:
LET-DOWN TRIGGERBOX MODELS
ALL X-CAM MODELS
BOSS 405
BURNER 415
RAPID 420
ALL X-CAM MODELS

2026 DC MODELS

NOT COMPATIBLE WITH:
COMP WIDE BARREL PRIOR TO 2025

DSC CRANK HANDLE
3-HOLE DESIGN



Model SPK-HANDLE-1

DC CRANK HANDLE



Model SPK-HANDLE-3



CROSSBOW CASES

SLAYER™ NARROW CROSSBOW CASE

Model 2083

- | FITS ALL X-CAM CROSSBOWS
- | DESIGNED FOR NARROW AXLE TO AXLE CROSSBOWS
- | INCLUDES BACKPACK STRAPS
- | OVERSIZED EXTERNAL ACCESSORY POUCHES
- | WEATHER REPELLENT OUTER SHELL

SLAYER™ CROSSBOW CASE

Model 1083

- | WEATHER REPELLENT OUTER SHELL
- | SHOULDER SLING STRAP
- | INTERNAL QUIVER STORAGE
- | OVERSIZED EXTERNAL ACCESSORY POUCHES
- | FITS WIDER KILLER INSTINCT CROSSBOWS

SLAYER™ MID CROSSBOW CASE

Model 2084

- | WEATHER REPELLENT OUTER SHELL





CROSSBOW SPECIFICATIONS

Logix DC

SKU 611106



Logix DC

SKU 611006

NEO-X DC

SKU 1260

VITALX DC

SKU 1250

BOSSX DC

SKU 1240

FANATIX

SKU 611005

TEMPPRX

SKU 601002

LETHAL 405 HD

SKU 600000

SPEED UP TO 435 FPS	AXLE TO AXLE 6.75" - 10.75"	LENGTH 35"	WEIGHT 8.4 LB	DRAW WEIGHT 210 LB	POWER STROKE 15"
UP TO 435 FPS	6.75" - 10.75"	35"	7.9 LB	210 LB	15"
UP TO 415 FPS	6.75" - 10.75"	28" (without stirrup)	8.2 LB	195 LB	15"
UP TO 415 FPS	6.75" - 10.75"	35"	8.0 LB	195 LB	15"
UP TO 405 FPS	6.75" - 10.375"	33.75"	7.8 LB	195 LB	13.5"
UP TO 415 FPS	6.75" - 10.75"	35"	8.0 LB	195 LB	15"
UP TO 405 FPS	6.75" - 10.375"	33.75"	7.6 LB	195 LB	13.5"
UP TO 405 FPS	14.75" - 18.75"	33.5"	7.5 LB	210 LB	13.5"

KINETIC ENERGY	CRANK	ROPE COCKER	OPTIC	CASE	BOLTS
155.50 FT-LB	2078-5	1078-1	1021 LUMIX™ I-RE 4X32 ILLUMINATED	2083-SLAYER™ NARROW CASE 2084-SLAYER™ MID	HYPR-V™ 20"
155.50 FT-LB	2078-5	1078-1	1021 LUMIX™ I-RE 4X32 ILLUMINATED	2083-SLAYER™ NARROW CASE 2084-SLAYER™ MID	HYPR-V™ 20"
141.53 FT-LB	2078-5	1078-1	1023 LUMIX™ XLR 4X32 ILLUMINATED	2083-SLAYER™ NARROW CASE 2084-SLAYER™ MID	HYPR-V™ 20"
141.53 FT-LB	2078-5	1078-1	1023 LUMIX™ XLR 4X32 ILLUMINATED	2083-SLAYER™ NARROW CASE 2084-SLAYER™ MID	HYPR-V™ 20"
134.78 FT-LB	2078-5	1078-1	LUMIX 4x32	2083-SLAYER™ NARROW CASE 2084-SLAYER™ MID	HYPR-V™ 20"
141.53 FT-LB	2078-4	1074-1 / 1078-1	1021 LUMIX™ I-RE 4X32 ILLUMINATED	2083-SLAYER™ NARROW CASE 2084-SLAYER™ MID	HYPR-V™ 20"
134.78 FT-LB	2078-4	1074-1 / 1078-1	LUMIX™ 4x32	2083-SLAYER™ NARROW CASE 2084-SLAYER™ MID	HYPR-V™ 20"
134.78 FT-LB	2078-4	1074-1 / 1078-1	LUMIX™ 4x32	1083-SLAYER™ 2084-SLAYER™ MID	HYPR-V™ 20"



CUSTOMER SERVICE:

(810) 626-3026

FOR COMPLETE LIST OF PATENTS VISIT:

KICROSSBOWS.COM